

SAFETY DATA SHEET

Pro Foam Soap

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Pro Foam Soap

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cosmetic product

Product code (A.I.S.E.)

AISE-C0001 / Cosmetic, not applicable.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU 20	Health services
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC39	Cosmetics, personal care

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Pro-Ren A/S

Springstrup 7

4300 Holbæk

Denmark

+45 70 20 34 60

http://www.proren.dk/

Contact person

Janie Madsen

E-mail

info@proren.dk

Revision

20/09/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Safety statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

None known.

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium 2-(2- dodecyloxyethoxy)ethyl sulphate	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %) Aquatic Chronic 3, H412	
(Z)-3-hexenyl salicylate	CAS No.: 65405-77-8 EC No.: 265-745-8 UK-REACH: Index No.:	<0.01%	Aquatic Acute 1, H400 (M=1)	
(ethoxymethoxy)cyclododecane	CAS No.: 58567-11-6	<0.01%	Skin Irrit. 2, H315 Skin Sens. 1B, H317	

Pro Foam Soap Page 2 of 21



	EC No.: 261-332-1 UK-REACH: Index No.:		Aquatic Chronic 2, H411
2,2,5-trimethyl-5- pentylcyclopentan-1-one	CAS No.: 65443-14-3 EC No.: 265-779-3 UK-REACH: Index No.:	<0.0015%	Aquatic Chronic 2, H411
2,6-dimethylhept-5-enal	CAS No.: 106-72-9 EC No.: 203-427-2 UK-REACH: Index No.:	<0.0015%	Skin Sens. 1B, H317
(E)-1-(2,6,6-trimethyl-1,3- cyclohexadien-1-yl)-2-buten-1- one	CAS No.: 23726-93-4 EC No.: 245-844-2 UK-REACH: Index No.:	<0.0015%	Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

SODIUM LAURETH SULFATE (SURFACTANTS), PHENOXYETHANOL (PRESERVATIVES), GLYCERIN (HUMECTANTS), COCAMIDOPROPYL BETAINE (SURFACTANTS), SODIUM BENZOATE (PRESERVATIVES), PEG-4 RAPESEEDAMIDE (SURFACTANTS), CITRIC ACID (BUFFERING AGENTS), AMMONIUM LAURYL SULFATE (SURFACTANTS), PARFUM

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless

Pro Foam Soap Page 3 of 21

recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

glycerol

Long term exposure limit (8 hours) (mg/m³): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

2-phenoxyethanol

DurationRoute of exposureDNELLong term - Local effects - General populationInhalation132 mg/m³Long term - Local effects - WorkersInhalation220 mg/m³Sodium 2-(2-dodecyloxyethoxy)ethyl sulphateSodium 2-(2-dodecyloxyethoxy)ethyl sulphateDurationRoute of exposureDNELLong term - Local effects - General populationDermal79 μg/cm²Long term - Local effects - WorkersDermal132 μg/cm²Long term - Systemic effects - General populationDermal1650 mg/kg bw/dayLong term - Systemic effects - WorkersDermal2750 mg/kg bw/dayLong term - Systemic effects - General populationInhalation52 mg/m³Long term - Systemic effects - WorkersInhalation175 mg/m³Long term - Systemic effects - General populationOral15 mg/kg bw/day			
Long term – Systemic effects - Workers Long term – Local effects - General population Long term – Local effects - Workers Long term – Local effects - Workers Inhalation 5.7 mg/m³ Long term – Systemic effects - General population Long term – Systemic effects - General population Long term – Systemic effects - Workers Inhalation 5.7 mg/m³ Long term – Systemic effects - Workers Inhalation 5.7 mg/m³ Long term – Systemic effects - General population Oral 9.23 mg/kg bw/day Short term – Systemic effects - General population Oral 9.23 mg/kg bw/day Polycerol Duration Route of exposure DNEL Long term – Local effects - General population Inhalation 132 mg/m³ Long term – Local effects - Workers Inhalation 220 mg/m³ Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term – Local effects - General population Permal 132 µg/cm² Long term – Local effects - Workers Dermal 132 µg/cm² Long term – Local effects - General population Dermal 132 µg/cm² Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - General population Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - General population Inhalation 175 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Long term – Systemic effects - General population Oral 15 mg/kg bw/day	Duration	Route of exposure	DNEL
Long term - Local effects - General population Inhalation 5.7 mg/m³ Long term - Local effects - Workers Inhalation 5.7 mg/m³ Long term - Systemic effects - General population Inhalation 5.7 mg/m³ Long term - Systemic effects - Workers Inhalation 5.7 mg/m³ Long term - Systemic effects - General population Oral 9.23 mg/kg bw/day Short term - Systemic effects - General population Oral 9.23 mg/kg bw/day Short term - Systemic effects - General population Oral 9.23 mg/kg bw/day Buration Route of exposure DNEL Long term - Local effects - General population Inhalation 132 mg/m³ Long term - Local effects - Workers Inhalation 220 mg/m³ Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term - Local effects - General population Dermal 79 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - General population Inhalation 175 mg/m³ Long term - Systemic effects - Workers Inhalation 175 mg/m³ Long term - Systemic effects - General population Oral 15 mg/kg bw/day	Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Local effects – Workers Long term – Systemic effects – General population Long term – Systemic effects – General population Long term – Systemic effects – Workers Inhalation 5.7 mg/m³ Long term – Systemic effects – General population Oral 9.23 mg/kg bw/day Short term – Systemic effects – General population Oral 9.23 mg/kg bw/day Short term – Systemic effects – General population Oral Pouration Route of exposure DNEL Long term – Local effects – Workers Inhalation 132 mg/m³ Long term – Local effects – Workers Inhalation Pouration Route of exposure DNEL Long term – Local effects – General population Dermal Population Pormal 132 µg/cm² Long term – Local effects – Workers Dermal 132 µg/cm² Long term – Systemic effects – General population Dermal 1650 mg/kg bw/day Long term – Systemic effects – General population Inhalation Dermal 2750 mg/kg bw/day Long term – Systemic effects – General population Oral 15 mg/kg bw/day Short term – Systemic effects – General population Poral 175 mg/m³ Long term – Systemic effects – General population Oral DNEL	Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term - Systemic effects - General population Long term - Systemic effects - Workers Inhalation 5.7 mg/m³ Long term - Systemic effects - General population Coral 9.23 mg/kg bw/day Short term - Systemic effects - General population Oral 9.23 mg/kg bw/day Short term - Systemic effects - General population Oral 9.23 mg/kg bw/day Duration Route of exposure DNEL Long term - Local effects - General population Inhalation 132 mg/m³ Long term - Local effects - Workers Inhalation 220 mg/m³ Long term - Local effects - Workers Norte of exposure DNEL Long term - Local effects - General population Dermal Top term - Local effects - General population Dermal 132 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - General population Inhalation 175 mg/m³ Long term - Systemic effects - General population Coral 15 mg/kg bw/day Long term - Systemic effects - General population Coral Doral Doral Doral DNEL	Long term – Local effects - General population	Inhalation	2.41 mg/m³
Long term – Systemic effects - Workers Long term – Systemic effects - General population Oral 9.23 mg/kg bw/day Short term – Systemic effects - General population Oral 9.23 mg/kg bw/day Short term – Systemic effects - General population Oral 9.23 mg/kg bw/day Short term – Systemic effects - General population Duration Route of exposure DNEL Long term – Local effects - General population Inhalation 132 mg/m³ Long term – Local effects - Workers Inhalation Pormal Duration Route of exposure DNEL Duration Route of exposure DNEL Long term – Local effects - General population Dermal 132 µg/cm² Long term – Local effects - General population Dermal 132 µg/cm² Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - General population Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day Sodium benzoate	Long term – Local effects - Workers	Inhalation	5.7 mg/m³
Long term – Systemic effects - General population Short term – Systemic effects - General population Oral 9.23 mg/kg bw/day glycerol Duration Route of exposure DNEL Long term – Local effects - General population Inhalation 132 mg/m³ Long term – Local effects - Workers Inhalation Duration Route of exposure DNEL Long term – Local effects - Workers Inhalation Dermal Population Pormal Population Pormal Population Pormal Pogg/cm² Long term – Local effects - General population Dermal Pormal Pogg/cm² Long term – Systemic effects - General population Dermal Pormal Pormal Pormal Pormal Pogg/kg bw/day Long term – Systemic effects - General population Pormal Pormal Pormal Pormal Population Population Pormal Population Populat	Long term – Systemic effects - General population	Inhalation	2.41 mg/m³
Short term - Systemic effects - General population Oral 9.23 mg/kg bw/day glycerol Duration Route of exposure DNEL Long term - Local effects - General population Inhalation 132 mg/m³ Long term - Local effects - Workers Inhalation 220 mg/m³ Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term - Local effects - General population Dermal 79 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - Workers Inhalation 175 mg/m³ Long term - Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Systemic effects - Workers	Inhalation	5.7 mg/m³
Duration Route of exposure DNEL Long term - Local effects - General population Inhalation 132 mg/m³ Long term - Local effects - Workers Inhalation 220 mg/m³ Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term - Local effects - General population Dermal 79 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - Workers Inhalation 175 mg/m³ Long term - Systemic effects - General population Oral 15 mg/kg bw/day Sodium benzoate Duration Route of exposure DNEL	Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Duration Route of exposure DNEL Long term - Local effects - General population Inhalation 132 mg/m³ Long term - Local effects - Workers Inhalation 220 mg/m³ sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term - Local effects - General population Dermal 79 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - Workers Inhalation 175 mg/m³ Long term - Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Long term – Local effects - General population Long term – Local effects - Workers Inhalation 220 mg/m³ Long term – Local effects - Workers Inhalation Route of exposure Duration Route of exposure Duration Dermal 79 µg/cm² Long term – Local effects - General population Dermal 132 µg/cm² Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day Bouration Route of exposure DNEL	glycerol		
Long term – Local effects - Workers Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term – Local effects - General population Dermal 79 μg/cm² Long term – Local effects - Workers Dermal 132 μg/cm² Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day Sodium benzoate	Duration	Route of exposure	DNEL
Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate Duration Route of exposure DNEL Long term - Local effects - General population Dermal 79 µg/cm² Long term - Local effects - Workers Dermal 132 µg/cm² Long term - Systemic effects - General population Dermal 1650 mg/kg bw/day Long term - Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term - Systemic effects - General population Inhalation 52 mg/m³ Long term - Systemic effects - Workers Inhalation 175 mg/m³ Long term - Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Local effects - General population	Inhalation	132 mg/m³
DurationRoute of exposureDNELLong term - Local effects - General populationDermal79 μg/cm²Long term - Local effects - WorkersDermal132 μg/cm²Long term - Systemic effects - General populationDermal1650 mg/kg bw/dayLong term - Systemic effects - WorkersDermal2750 mg/kg bw/dayLong term - Systemic effects - General populationInhalation52 mg/m³Long term - Systemic effects - WorkersInhalation175 mg/m³Long term - Systemic effects - General populationOral15 mg/kg bw/daySodium benzoateRoute of exposureDNEL	Long term – Local effects - Workers	Inhalation	220 mg/m³
Long term - Local effects - General populationDermal79 μg/cm²Long term - Local effects - WorkersDermal132 μg/cm²Long term - Systemic effects - General populationDermal1650 mg/kg bw/dayLong term - Systemic effects - WorkersDermal2750 mg/kg bw/dayLong term - Systemic effects - General populationInhalation52 mg/m³Long term - Systemic effects - WorkersInhalation175 mg/m³Long term - Systemic effects - General populationOral15 mg/kg bw/daysodium benzoateRoute of exposureDNEL	sodium 2-(2-dodecyloxyethoxy)ethyl sulphate		
Long term – Local effects - Workers Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day Sodium benzoate Duration Route of exposure DNEL	Duration	Route of exposure	DNEL
Long term – Systemic effects - General population Dermal 1650 mg/kg bw/day Long term – Systemic effects - Workers Dermal 2750 mg/kg bw/day Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day Sodium benzoate Duration Route of exposure DNEL	Long term – Local effects - General population	Dermal	79 μg/cm²
Long term – Systemic effects - Workers Long term – Systemic effects - General population Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Local effects - Workers	Dermal	132 μg/cm²
Long term – Systemic effects - General population Inhalation 52 mg/m³ Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers Inhalation 175 mg/m³ Long term – Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population Oral 15 mg/kg bw/day sodium benzoate Duration Route of exposure DNEL	Long term – Systemic effects - General population	Inhalation	52 mg/m³
Duration Route of exposure DNEL	Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Duration Route of exposure DNEL	Long term – Systemic effects - General population	Oral	15 mg/kg bw/day
	sodium benzoate		
Long term – Systemic effects - General population Dermal 31.25 mg/kg bw/day	Duration	Route of exposure	DNEL
	Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day

Pro Foam Soap Page 5 of 21

PNEC

Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	60 μg/m³
Long term – Local effects - Workers	Inhalation	100 μg/m³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m³
Long term – Systemic effects - Workers	Inhalation	3 mg/m³
Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day
2-phenoxyethanol		
Route of exposure	Duration of Exposure	PNEC
Freshwater		943 μg/L
Freshwater sediment		7.237 mg/kg
Intermittent release (freshwater)		3.44 mg/L
Marine water		94.3 μg/L
Marine water sediment		723.7 μg/kg
Sewage treatment plant		36 mg/L
Soil		1.31 mg/kg
glycerol		
Route of exposure	Duration of Exposure	PNEC
Sewage treatment plant		1 g/L
sodium 2-(2-dodecyloxyethoxy)ethyl sulphate		
Route of exposure	Duration of Exposure	PNEC
Freshwater		240 μg/L
Freshwater sediment		916.8 μg/kg
Intermittent release (freshwater)		71 μg/L
Marine water		24 μg/L
Marine water sediment		91.7 μg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg
sodium benzoate		
Route of exposure	Duration of Exposure	PNEC
Freshwater		130 μg/L
Freshwater sediment		1.76 mg/kg
Intermettent valence (freebruster)		205//

Pro Foam Soap Page 6 of 21

305 μg/L

Intermittent release (freshwater)

Marine water	13 μg/L
Marine water sediment	176 μg/kg
Predators	300 mg/kg
Sewage treatment plant	10 mg/L
Soil	60 μg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

No specific requirements

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

No specific requirements.

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Clear

Odour / Odour threshold

Pleasant

рН

4,5

Density (g/cm³)

1.01

Kinematic viscosity



Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information



11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 2870 mg/kg

Other information

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Species Rat
Route of exposure Dermal
Test LD50
Result >2000 mg/kg

Other information

Product/substance

2-phenoxyethanol

Test method

Species Rat
Route of exposure Oral
Test LD50
Result >740 mg/kg

Other information

Product/substance

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result >1000 mg/m³

Other information

Product/substance

2-phenoxyethanol

2-phenoxyethanol

Test method

Species Rat
Route of exposure Dermal
Test LD50
Result 14391 mg/kg

Other information

Product/substance

glycerol

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 27200 mg/kg

Other information

Product/substance glycerol

Pro Foam Soap Page 9 of 21

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result 4655 mg-min/L 7 h \cdot

Other information

Product/substance

glycerol

Test method

Species Guinea pig
Route of exposure Dermal
Test LD50
Result 45 ml/kg ·

Other information

Product/substance

sodium benzoate

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 3140 mg/kg

Other information

Product/substance

sodium benzoate

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result >12200 mg/m³

Other information

Product/substance

sodium benzoate

Test method

Species Rabbit
Route of exposure Dermal
Test LD50

Result >2000 mg/kg

Other information

Skin corrosion/irritation

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 404
Species Rabbit
Duration 4 hours

Result

Other information reversible

Product/substance 2-phenoxyethanol

Test method OECD 404
Species Rabbit

Pro Foam Soap Page 10 of 21

Duration 4 hours

Result

Other information reversible

Product/substance glycerol

Test method no guideline followed

Species Rabbit
Duration 24 hours

Result No adverse effect observed (Not irritating)

Other information reversible

Product/substance sodium benzoate

Test method OECD 404
Species Rabbit
Duration 4 hours

Result

Other information reversible

Serious eye damage/irritation

Product/substance 2-phenoxyethanol

Test method OECD 405 Species Rabbit

Duration Result

Other information reversible

Product/substance glycerol

Test method no guideline followed

Species Rabbit
Duration 7 days

Result

Other information reversible

Product/substance sodium benzoate

Test method OECD 405
Species Rabbit
Duration 24 hours

Result

Other information reversible

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 406 Species Guinea pig

Result No adverse effect observed (not sensitising)

Other information

Pro Foam Soap Page 11 of 21

Product/substance 2-phenoxyethanol

Test method OECD 406 Species Guinea pig

Result No adverse effect observed (not sensitising)

Other information

Germ cell mutagenicity

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 476 Species Mouse

Conclusion No adverse effect observed

Other information

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 475 Species Mouse

Conclusion No adverse effect observed

Other information

Product/substance 2-phenoxyethanol

Test method OECD 474
Species Mouse

Conclusion No adverse effect observed

Other information

Product/substance 2-phenoxyethanol

Test method OECD 471 Species Bacteria

Conclusion No adverse effect observed

Other information

Product/substance glycerol

Test method No guideline followed

Species Bacteria

Conclusion No adverse effect observed

Other information

Product/substance sodium benzoate
Test method OECD 471

Species Bacteria

Conclusion No adverse effect observed

Other information

Product/substance sodium benzoate
Test method OECD 475

Species Rat

Conclusion No adverse effect observed

Other information

Carcinogenicity

Pro Foam Soap Page 12 of 21



Product/substance Test method 2-phenoxyethanol

Species

Result

Conclusion

OECD 451 Mouse

Route of exposure Target organ Duration Test

No adverse effect observed

Other information

Product/substance glycerol

Test method

Species Rat

Route of exposure Target organ Duration

Test NOAEL

Result 8000 mg/kg bw/day
Conclusion No adverse effect observed

Other information

Product/substance

sodium benzoate

Test method

Species Rat

Route of exposure Target organ Duration

Test NOAEL
Result >1000 mg/kg

Conclusion No adverse effect observed

Other information

Reproductive toxicity

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 414 Species Rat

Duration Test

Result 1000 mg/kg bw/day
Conclusion No adverse effect observed

Other information

Product/substance sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method OECD 416 Species Rat

Duration Test

Result

300 mg/kg bw/day

Conclusion No adverse effect observed

Pro Foam Soap Page 13 of 21

Page 14 of 21

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other information

Product/substance 2-phenoxyethanol

Test method OECD 414 Species Rat

Duration

Test NOAEL

Result 300 mg/kg bw/day

Conclusion No adverse effect observed

Other information

Product/substance

2-phenoxyethanol

Test method

Species Mouse

Duration

Test NOAEL

Result 375 mg/kg bw/day

Conclusion No adverse effect observed

Other information

Product/substance

glycerol

Test method

Species Rat

Duration Test Result

Conclusion

No adverse effect observed

Other information

Product/substance

sodium benzoate

Test method

Species Rat

Duration

Test NOAEL

Result 500 mg/kg bw/day

Conclusion No adverse effect observed

Other information

Product/substance

sodium benzoate

Test method

Species Rat

Duration

Test NOAEL

Result 175 mg/kg bw/day

Conclusion No adverse effect observed

Other information

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Species Fish

Compartment

Duration 96 hours
Test LC50
Result 7.1 mg/L

Other information

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result 7.4 mg/L

Other information

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Species Algae

Compartment

Duration 72 hours
Test EC50
Result 27.7 mg/L

Other information

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Species Algae

Compartment

Duration 72 hours
Test NOEC
Result 0.95 mg/L

Other information

Product/substance

Test method

2-phenoxyethanol

Pro Foam Soap Page 15 of 21



Species Fish

Compartment

96 hours Duration Test LC50 344 mg/L Result

Other information

Product/substance

2-phenoxyethanol

2-phenoxyethanol

Test method

Daphnia **Species**

Compartment

48 hours Duration EC50 Test Result 488 mg/L

Other information

Product/substance

Test method

Species Algae

Compartment

72 hours Duration EC50 Test 443 mg/L Result

Other information

Product/substance

glycerol Test method

Species

Fish

Compartment

96 hours Duration LC50 Test 54000 mg/L Result

Other information

Product/substance

glycerol

Test method

Species Daphnia

Compartment

24 hours Duration Test EC50 Result >10000 mg/L

Other information

Product/substance

sodium benzoate

Test method

Fish Species

Compartment

96 hours Duration LC50 Test Result 484 mg/L

Pro Foam Soap Page 16 of 21



Other information

Product/substance

sodium benzoate

Test method

Species

Daphnia

Compartment

Duration 96 hours
Test EC50
Result 100 mg/L

Other information

Product/substance

sodium benzoate

Test method

Species

Algae

Compartment

Duration 72 hours
Test NOEC
Result 0.09 mg/L

Other information

Product/substance

sodium benzoate

Test method

Duration

Species

Compartment

72 hours EC10

Algae

Test EC10 Result 6.5 mg/L

Other information

Product/substance

sodium benzoate

Test method

Species

Algae

Yes

Compartment

Duration 72 hours
Test EC50
Result 30.5 mg/L

Other information

12.2. Persistence and degradability

Product/substance Biodegradable sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Result

Product/substance 2-phenoxyethanol

Biodegradable Ye

Test method OECD 301 A
Result >90%

Product/substance glycerol

Pro Foam Soap Page 17 of 21

Biodegradable

Test method

Result

Yes

Yes

Product/substance

sodium benzoate

Biodegradable Test method

Result

12.3. Bioaccumulative potential

Product/substance

sodium 2-(2-dodecyloxyethoxy)ethyl sulphate

Test method

Potential No

bioaccumulation

LogPow 0,3000

BCF No data available.

Other information

Product/substance

2-phenoxyethanol

Test method

Potential No

bioaccumulation

LogPow 1,2000 BCF 0.35

Other information

Product/substance

glycerol

Test method

Potential No

bioaccumulation

LogPow -1,7500

BCF No data available.

Other information

Product/substance

sodium benzoate

Test method

Potential No

bioaccumulation

LogPow 1,8800

BCF No data available.

Other information

12.4. Mobility in soil

2-phenoxyethanol

LogKoc = 1.61, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects



None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

07 06 01* Aqueous washing liquids and mother liquors

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

None known.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

^{**} Environmental hazards



SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU 20 = Health services

LCS "C" = Consumer uses: Private households (= general public = consumers)

PC39 = Cosmetics, personal care

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

Janie Madsen

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en